

# CITY OF PEACHTREE CORNERS AUTONOMOUS VEHICLE CORRIDOR SIGNAGE



PRICING DOCUMENT SET  
05.28.19



ALL DESIGN CONCEPTS, DRAWINGS, DEPICTIONS, IDEAS, ETC. ILLUSTRATED WITHIN THIS DOCUMENT SET ARE INTELLECTUAL PROPERTY OF CONFLUENCE DESIGN CONSULTING AND LIKENESS CANNOT BE UTILIZED UNTIL RIGHTS ARE TRANSFERRED UPON RECEIPT OF PAYMENT IN FULL. UTILIZATION OF THE CONTENT WITHIN THIS DOCUMENT IS NOT PERMITTED BY ANY PURPOSE WHATSOEVER WITHOUT THE PRIOR WRITTEN PERMISSION OF CONFLUENCE DESIGN CONSULTING.

# PROJECT SPECIFICATIONS

## PEACHTREE CORNERS AUTONOMOUS VEHICLE CORRIDOR SIGNAGE

The following design documents are for the sole purpose of conveying design intent and are not intended for construction purposes. The fabricator may make recommendations and/or changes to the details as shown in the drawings with written approval of the Owner's representative. The fabricator assumes all responsibility for signage integrity, engineering, field verification and measurements, etc. as part of the bid submittal process.

Confluence Design Consulting and the Owner shall review all shop drawings for conformance with the design intent of these drawings only and will not be held responsible or liable for any results of construction from working drawings, materials selection, shop drawings, or any other agreements.

### REVIEW

**SITE:** The fabricator is responsible for verifying all site conditions with regards to fabrication and installation before manufacture of signage. Any conditions that would impede the proper and timely completion of the work should be presented to the Owner's representative in writing.

**SIGN LOCATION PLANS:** Locations shown on the Sign Location Plans are for general placement. The fabricator shall confirm each sign location with the Owner's representative and locate via stake and flag for verification.

Fabricator shall notify the Owner's representative of any discrepancies in the design documents or graphics schedule as well as discrepancies in field dimensions or field conditions (drainage pipes, etc.) that would require changes in sign construction details. All discrepancies shall be brought to the attention of the Owner's representative prior to production.

Any conflicting conditions with signage that are not coordinated prior to the manufacturing of the scope of work will need to be addressed in the punchlist phase and will be the responsibility of the vendor.

### ENGINEERING

**FOOTINGS:** All footings to be verified by structural engineer as part of scope. Drawings show footings for intent only. An Engineer's Stamp is to be obtained when necessary to comply with permits and/or codes.

**WIND LOAD:** Exterior signs shall be designed to withstand wind pressure loading to meet or exceed all current code requirements for the jurisdiction in which they are being installed. Internal framework should also provide maximum capacity to avoid any surface oil canning, curvature, or deviations.

**THERMAL DEFORMATIONS:** Design, fabricate, and install component parts to provide for expansion and contraction over a temperature range for the material of 150 degrees Fahrenheit (83.3 degrees Celsius), without buckling, oil canning, sealant joint failure, glass breakage, undue stresses on members or anchors, and other detrimental effects.

### ARTWORK

All enlarging and reducing of supplied artwork images is the responsibility of the signage fabricator. Any discrepancies after enlarging or reducing vs. original artwork are to be addressed with Owner's representative prior to reproduction. Refer to the design documents for reference as to what artwork will be provided. Confluence Design Consulting will not submit electronic artwork for contractors use in shop drawings except for custom created logos, icons, typography, etc. Artwork for general fabrication items will not be submitted so please account for this in your time frames and general costs.

### SUBMITTALS

Color samples, material samples, submittals, copy layouts, and working drawings are to be provided for approval by the Owner's representative and Owner prior to manufacture. Full size copy layouts will also be required as needed.

**SHOP DRAWINGS** are the responsibility of the fabricator for each of the disciplines contained within and are to include all necessary dimensions drawn to scale, details, internal mechanicals, joint connections, hidden connections, anchorage to footings, section views as needed, etc. These must be submitted as **one comprehensive package** to be reviewed and approved prior to beginning any construction. **Scans or copies of the enclosed design documents with contractor title block will not be accepted for approval as working drawings.** The sign fabricator is responsible for all aspects of fabrication including engineering, installation techniques and performance, as well as coordination with site contractors and related trades.

**PAINT:** 3 samples of each color to be submitted on minimum 4" x 4" plate. One will be returned; the others will be retained for file references. All paints used must retain a minimum 5-year warranty for interior and exterior signage. This includes no cracking, flaking, or fading. Exterior paints should be 2-part catalyst hardened urethane, base coat, top coat, satin finish unless otherwise specified.

**MOCK-UPS:** samples required for review and approval will be listed on Bid Summary Form.

**VINYL:** 3 samples of each color to be submitted as a minimum 4" x 4" submittal. All vinyl is to be 3M Scotchcal graphic vinyl, or Gerber equivalent. First surface application unless otherwise specified on drawings.

**INKJET AND/OR PRINTED WALLCOVERING:** 1 proof of each type of inkjet graphic to be submitted at full-size. For large format graphics, a minimum 12" x 12", full size portion should be submitted, along with a smaller-scaled full layout of each design/image. Proofs are to be of equal or greater reproduction quality than the original artwork provided. All inkjet graphics are to be printed on 3M material or equivalent using pigment-based ink to prevent fading and discoloration. If necessary, laminates on printed vinyl are to be 3M material or equivalent. All inkjet graphics to be matte laminated, unless otherwise specified. Warranty information for all inkjet applications to be provided at no less than five years. If a matte laminate is specified for use over printed wallcovering, then a liquid laminate must be used. All submittals must be provided on the material specified, along with the laminate (if specified), for approval.

### MATERIALS

All wood, stone, brick or brick veneer components to be sealed to protect against decay, mildew, and discoloration

All aluminum components and panels to have a minimum wall thickness of .125" or greater, unless otherwise noted

### FABRICATION

All metal fabrication shall be seamless in nature, requiring panels to be welded, ground, smoothed, primed, painted to maintain seamless visual finish unless otherwise indicated.

Visible assembly hardware is not acceptable (unless noted) or as indicated with decorative hardware by specification.

### LIGHTING

Unless otherwise specified, all internally illuminated signs shall utilize Bitro OpticsPro Plus (OTSP-M3PL) LEDs, or another product with similar specifications, including voltage drop, energy efficiency, and lifespan/warranty.

### INSTALLATION

Post and panels in concrete or pavement to be installed via core drill footing and backfill.

All breakaway details to conform to DOT standard requirements for the state in which installation occurs.

Exterior ADA signs containing braille should be produced using exterior grade photopolymer or raster braille.

Pin mounted letters should be set in Hilti epoxy or equivalent to deter theft and vandalism. Exterior pin mounted letters should be set in Hilti epoxy or equivalent and sealed with silicone or equivalent waterproofing sealer.

Signage design and installation for this project must conform to all federal, state, and city regulations and ordinances. It is the responsibility of the signage fabricator to submit drawings to the proper agencies for review and approval prior to construction. **It is also the responsibility of the signage fabricator to obtain the necessary permits and approvals prior to construction.**

**It is the responsibility of the signage fabricator to include and perform all priming work as needed for wallcovering/graphics unless specifically stated as an exclusion in the vendor bid.**

### SIGNAGE PROTECTION

Fabricator to coordinate protection of all signs until punch list is completed by Owner.

Fabricator to be responsible for all equipment used to install signage, including but not limited to lifts, swing stages, equipment vehicles, and temporary attachments. It is the responsibility of the fabricator to ensure that all penetrations into all concrete, precast columns, beams, or building façades do not affect the structural integrity of the reinforcement within. Should damage occur to signage and/or the building structure/façade as a result of the signage installation process, it is the continued responsibility of the fabricator to manage the resolution process with all necessary parties until an agreed-upon solution is reached and damage is repaired. Confluence Design Consulting holds zero liability for damages incurred to owner or contractor by owner or contractor on site.

### WARRANTY

Fabricator warrants work against failure due to faulty materials, workmanship, and design for a period of five years from date of substantial completion.


Fading, cracking, oil canning, peeling, delaminating, rusting, corroding, and structural failure, including distortion, will be construed to mean failure due to faulty materials and workmanship.

All products, materials, adhesives, paints, etc. shall be covered by standard warranty. Failures during the warranty period shall be repaired or replaced to the satisfaction of the Owner.


### PROPRIETARY INFORMATION

Confluence Design Consulting shall have the right to include a credit line on completed designs or any visual representation of drawings, models, sketches, photographs, etc. created by Confluence Design Consulting in the development of this program. The credit shall be included in any publication of the designs by the Owner or by others.


# ROUTE OVERVIEW



# ZONE ONE




TYPE	DESCRIPTION
	A Gateways/Corridor ID Signs
	B Secondary Gateway/Corridor ID Signs ( REMOVED )
	C Tertiary ID signs/Recurring ID
	D Branded Informational Sign
	E Regulatory Post & Panel Info Signs
	F Corridor Info Panel Sign




REFERENCE KEY PLAN

# ZONE TWO




	TYPE	DESCRIPTION
	A	Gateways/Corridor ID Signs
	B	Secondary Gateway/Corridor ID Signs ( REMOVED )
	C	Tertiary ID signs/Recurring ID
	D	Branded Informational Sign
	E	Regulatory Post & Panel Info Signs
	F	Corridor Info Panel Sign




REFERENCE KEY PLAN

# ZONE THREE




TYPE	DESCRIPTION
	A Gateways/Corridor ID Signs
	B Secondary Gateway/Corridor ID Signs ( REMOVED )
	C Tertiary ID signs/Recurring ID
	D Branded Informational Sign
	E Regulatory Post & Panel Info Signs
	F Corridor Info Panel Sign




REFERENCE KEY PLAN

# ZONE FOUR



TYPE	DESCRIPTION
	A Gateways/Corridor ID Signs
	B <del>Secondary Gateway/Corridor ID Signs ( REMOVED )</del>
	C Tertiary ID signs/Recurring ID
	D Branded Informational Sign
	E Regulatory Post & Panel Info Signs
	F Corridor Info Panel Sign



REFERENCE KEY PLAN

# ZONE FIVE



TYPE	DESCRIPTION
	A Gateways/Corridor ID Signs
	B <del>Secondary Gateway/Corridor ID Signs ( REMOVED )</del>
	C Tertiary ID signs/Recurring ID
	D Branded Informational Sign
	E Regulatory Post & Panel Info Signs
	F Corridor Info Panel Sign




REFERENCE KEY PLAN

# ZONE SIX



TYPE	DESCRIPTION
	A Gateways/Corridor ID Signs
	B Secondary Gateway/Corridor ID Signs ( REMOVED )
	C Tertiary ID signs/Recurring ID
	D Branded Informational Sign
	E Regulatory Post & Panel Info Signs
	F Corridor Info Panel Sign



REFERENCE KEY PLAN

**SIGN TYPE A**  
GATEWAY/CORRIDOR ID SIGN

DAY VIEW AT PEACHTREE PARKWAY LOOKING NE



**SIGN TYPE A**  
GATEWAY/CORRIDOR ID SIGN

EXISTING CONDITIONS



**SIGN TYPE A**  
GATEWAY/CORRIDOR ID SIGN

NIGHT VIEW AT PEACHTREE PARKWAY LOOKING NE



# SIGN TYPE A

## GATEWAY/CORRIDOR ID SIGN

### NOTES & SPECIFICATIONS

- (A)** Fabricated aluminum cabinet. 2" x 2" aluminum tube framing skinned with ( M2 ). 1/2" reveals between each panel. Painted ( P1 )
- (B)** Custom routed slotted metal aluminum panel ( M2 )  
See detail 3 on sheet 15.0
- (C)** ( M2 ) 1/2" push thru lettering with ( V1 ) applied to first surface. Internally illuminated with white LED (see detail sheet 15.0).
- (D)** ( M2 ) fabricated base painted ( P6 ). White LED flood lights directed up through sign cavity.
- (E)** Fabricated aluminum cabinet. 2" x 2" aluminum tube framing skinned with ( M2 ). Inner surfaces painted ( P2 )
- (F)** Routed ( M3 ) lettering stud mounted flush to ( M4 ) painted ( P5 )
- (G)** Exterior grade full color LED mesh curtain  
*Streetcommunication.com - M6 LED Strip Mesh Curtain or equal spec*  
*Note: Pricing to include hardware for LED matrix, content management system, base programming/sequencing for lights and basic CMS usage training (as outlined on bid summary form)*
- (H)** Fabricated face-lit aluminum channel letters with internal white LED. ( V2 ) inline applied directly to face. Channel letter returns painted ( P2 )
- (J)** ( M2 ) fabricated face-lit channel letters with milk white acrylic face. White LED internal lighting. Letter returns painted ( P1 )
- (K)** CMU base clad with ( M4 ). Stucco finish to match ( P6 ).

### MATERIAL / SPEC LEGEND

#### PAINT

- |  |   |
|--|---|
|  P1 - Spec TBD |  P5 - Spec TBD             |
|  P2 - Spec TBD |  P6 - Spec TBD (Thorocoat) |
|  P3 - Spec TBD |  P7 - Spec TBD             |
|  P4 - Spec TBD |   |

#### VINYL


-  V1 - 3M Day/Night Vinyl
-  V2 - 3M Black Opaque Vinyl (Matte Finish)

#### MATERIAL


-  M1 - 1/2" Milk White Acrylic
-  M2 - 1/8" Thick aluminum
-  M3 - 1/4" Thick aluminum
-  M4 - 1/2" Thick DensGlass Sheathing

A.01

**\*NOTE: THIS SIGN TYPE IS TWO-SIDED WITH IDENTICAL SPECS/DIMENSIONS (BACK-SIDE IS MIRRORED)**




A.01 SIDE



A.01 FRONT

**NOTE: REFER TO PAGE 11.0 FOR INSTALL LOCATION. GRADE IS NOT FLAT & WILL REQUIRE SOME SITE PREPARATION FOR FOOTINGS**


**NOTE: ONLY A.01 LOCATION INCLUDES EXTENDED BASE, DIMENSIONAL CHANNEL LETTERS, AND LED MESH**



SCALE: 1/2" = 1'

A.02

**\*NOTE: THIS SIGN TYPE IS TWO-SIDED WITH IDENTICAL SPECS/DIMENSIONS (WITH THE EXCEPTION OF PUSH-THRU LOGO ONLY ON ONE SIDE)**



A.02 FRONT


A.02 SIDE  
(BACKSIDE IS MIRRORED)

SCALE: 1/8" = 1'

A.03

**\*NOTE: THIS SIGN TYPE IS TWO-SIDED WITH IDENTICAL SPECS/DIMENSIONS (BACK-SIDE IS MIRRORED)**

**\*NOTE: THE OVERALL DIMENSIONS/SCALE/PROPORTIONS OF TOWER ELEMENT IS THE SAME FOR ALL SIGN TYPE A LOCATIONS.**




A.03 SIDE  
(BACKSIDE IS MIRRORED)

A.03 FRONT

# SIGN TYPE A


## GATEWAY/CORRIDOR ID SIGN

**\*NOTE:** THIS SIGN TYPE IS TWO-SIDED WITH IDENTICAL SPECS/DIMENSIONS



**1** A.01 - Side Elevation  
SCALE: 3/8" = 1'


\*NOTE: FOOTINGS TO BE SPECIFIED BY LICENSED STRUCTURAL ENGINEER




**2** A.02 - Side Elevation  
SCALE: 3/8" = 1'

# SIGN TYPE A

## GATEWAY/CORRIDOR ID SIGN




**3** (TYP) Perforated Slotted Panel Detail  
SCALE: 3" = 1'



**2** A.01 Base Section Detail  
SCALE: 3/4" = 1'

CMU BLOCK BASE CLAD WITH 1/2" THICK DENSGLASS SHEATHING WITH STUCCO FINISH TO MATCH ( P6 )


\*NOTE: FOOTINGS TO BE SPECIFIED BY LICENSED STRUCTURAL ENGINEER




**1** A.01 Front Elevation  
SCALE: 3/16" = 1'

\*NOTE: REQUIRES FIELD SURVEY AND SCALE VERIFICATION STUDY WITH OWNERSHIP FOR REVIEW AND APPROVAL PRIOR TO FABRICATION.


**SIGN TYPE A**  
GATEWAY/CORRIDOR ID SIGN




**2** A.03 - Base Section Detail  
SCALE: 3/8" = 1'




**3** A.03 - Side B Elevation  
SCALE: 3/16" = 1'




**1** A.03 - Side A Elevation  
SCALE: 3/8" = 1'



**1** (TYP ST-A) Cabinet Section Detail  
SCALE: 3/4" = 1'




**3** A.03 Base Section Detail  
SCALE: 3/4" = 1'




**2** (TYP ST-A) Cabinet Section Detail  
SCALE: 3/8" = 1'

**SIGN TYPE A**  
GATEWAY/CORRIDOR ID SIGN




**1** A.01 - Perspective Model Views  
FOR REFERENCE ONLY

**SIGN TYPE A**  
GATEWAY/CORRIDOR ID SIGN



**1** A.02 - Perspective Model Views  
FOR REFERENCE ONLY



**1** A.03 - Perspective Model Views  
FOR REFERENCE ONLY

**SIGN TYPE C**  
TERTIARY ID SIGNS



# SIGN TYPE A

## GATEWAY/CORRIDOR ID SIGN

### NOTES & SPECIFICATIONS


- A** Fabricated aluminum cabinet. 2" x 2" aluminum tube framing skinned with ( M2 ). 1/2" reveals between each panel. Painted ( P1 )
- B** ( M1 ) 1/2" push thru lettering with ( V1 ) applied to first surface. Internally illuminated with white LED.
- C** Custom routed slotted metal aluminum panel ( M2 )  
See detail 3 on sheet 15.0
- D** ( V2 )
- E** Fabricated aluminum cabinet. 2" x 2" aluminum tube framing skinned with ( M2 ). Inner surfaces painted ( P2 )

### MATERIAL/SPEC LEGEND


- PAINT**
- |               |                           |
|---------------|---------------------------|
| P1 - Spec TBD | P5 - Spec TBD             |
| P2 - Spec TBD | P6 - Spec TBD (Thoracoat) |
| P3 - Spec TBD | P7 - Spec TBD             |
| P4 - Spec TBD |                           |

- VINYL**
- V1 - 3M Day/Night Vinyl
  - V2 - 3M Black Opaque Vinyl (Matte Finish)

- MATERIAL**
- M1 - 1/2" Milk White Acrylic
  - M2 - 1/8" Thick aluminum
  - M3 - 1/4" Thick aluminum
  - M4 - 1/2" Thick DensGlass Sheathing




**1 FRONT ELEVATION**  
SCALE: 3/8" = 1'




**2 SIDE ELEVATION**  
SCALE: 3/8" = 1'


**SIGN TYPE C**  
TERTIARY ID SIGNS




**4** Section Detail  
SCALE: 1 1/2" = 1'




**1** Front Detail Elevation  
SCALE: 3/8" = 1'



**2** Side Detail Elevation  
SCALE: 3/8" = 1'



**3** Back Detail Elevation  
SCALE: 3/8" = 1'



**1** Perspective Model Views  
FOR REFERENCE ONLY

# SIGN TYPE D

## BRANDED INFO SIGN

**\*NOTE:** THIS SIGN TYPE IS TWO-SIDED WITH IDENTICAL SPECS/DIMENSIONS

### NOTES & SPECIFICATIONS

- (A)** 5" round galvanized steel sign post
- (B)** (M3) rolled to 1'-3 3/4" radius with masked and painted graphics (P1) (P2) (P3)
- (C)** (V2) applied directly to first surface
- (D)** Masked and painted graphics (P2), (P3), (P4), (P5)
- (E)** 1/2" wide milled 1/16" deep groove

### MATERIAL/SPEC LEGEND

#### PAINT



- P1 - Spec TBD
- P2 - Spec TBD
- P3 - Spec TBD
- P4 - Spec TBD
- P5 - Spec TBD
- P6 - Spec TBD (Thorocoat)
- P7 - Spec TBD

#### VINYL

- V1 - 3M Day/Night Vinyl
- V2 - 3M Black Opaque Vinyl (Matte Finish)


#### MATERIAL

- M1 - 1/2" Milk White Acrylic
- M2 - 1/8" Thick aluminum
- M3 - 1/4" Thick aluminum
- M4 - 1/2" Thick DensGlass Sheathing




**1 FRONT ELEVATION**  
SCALE: 3/4" = 1'


**SIGN TYPE D**  
BRANDED INFO SIGN



**3 SECTION VIEW**  
SCALE:  $1\frac{1}{2}" = 1'$



**1 SIDE ELEVATION**  
SCALE:  $\frac{3}{4}" = 1'$



**2 FRONT ELEVATION**  
SCALE:  $\frac{3}{4}" = 1'$

SIGN POLE TO INCLUDE  
BREAK-AWAY DETAIL AS REQUIRED (WHEN  
LOCATED IN RIGHT-OF-WAY)

\*NOTE: FOOTINGS TO BE  
SPECIFIED BY LICENSED  
STRUCTURAL ENGINEER



**1** PERSPECTIVE RENDERING  
FOR REFERENCE ONLY

# SIGN TYPE E

## REGULATORY POST & PANEL

### NOTES & SPECIFICATIONS

- (A)** MUTCD standard aluminum sign panels
- (B)** 4" round galvanized steel sign post
- (C)** Painted rule lines ( P6 )
- (D)** ( M3 ) backer panel painted ( P1 )

### MATERIAL / SPEC LEGEND

#### PAINT



- |  |   |
|--|---|
|  P1 - Spec TBD |  P5 - Spec TBD             |
|  P2 - Spec TBD |  P6 - Spec TBD (Thorocoat) |
|  P3 - Spec TBD |  P7 - Spec TBD             |
|  P4 - Spec TBD |   |

#### VINYL

-  V1 - 3M Day/Night Vinyl
-  V2 - 3M Black Opaque Vinyl (Matte Finish)


#### MATERIAL

-  M1 - 1/2" Milk White Acrylic
-  M2 - 1/8" Thick aluminum
-  M3 - 1/4" Thick aluminum
-  M4 - 1/2" Thick DensGlass Sheathing




**1 FRONT ELEVATION**  
SCALE: 3/4" = 1'

**SIGN TYPE E**  
REGULATORY POST & PANEL




**1** DETAIL FRONT ELEVATION  
SCALE: 3/4" = 1'

**2** DETAIL REAR ELEVATION  
SCALE: 3/4" = 1'



**4** PANEL MOUNTING - SECTION DETAIL  
SCALE: 3" = 1'



**3** ADDITIONAL PANEL LAYOUTS  
SCALE: 1 1/2" = 1'

# SIGN TYPE F


## CORRIDOR INFO PANEL SIGN

### NOTES & SPECIFICATIONS


- (A)** Fabricated aluminum cabinet. 2" x 2" aluminum tube framing skinned with ( M2 ). 1/2" reveals between each panel. Painted ( P1 )
- (B)** Fabricated aluminum cabinet. Panel painted ( P7 )
- (C)** Custom routed slotted metal aluminum panel ( M2 )  
See detail 3 on sheet 15.0
- (D)** Watchfire High Resolution LED Matrix Board  
10mm Pixel Pitch  
Phone: 800-637-2645  
Email: sales@watchfiresigns.com  
  
*Note: Pricing to include hardware for digital screen, content management system, base programming/sequencing for content configuration and basic CMS usage training (as outlined on bid summary form)*
- (E)** ( V2 ) applied directly to aluminum cabinet.
- (F)** Fabricated aluminum cabinet. 2" x 2" aluminum tube framing skinned with ( M2 ). Inner surfaces painted ( P2 )
- (G)** Bitro T-luxe series LED Linear Lighting  
T-luxe WT (TWT) Bar or equal spec

### MATERIAL / SPEC LEGEND

- PAINT**
- |  |   |
|--|---|
|  P1 - Spec TBD |  P5 - Spec TBD             |
|  P2 - Spec TBD |  P6 - Spec TBD (Thorocoat) |
|  P3 - Spec TBD |  P7 - Spec TBD             |
|  P4 - Spec TBD |   |
- VINYL**
-  V1 - 3M Day/Night Vinyl
  -  V2 - 3M Black Opaque Vinyl (Matte Finish)
- MATERIAL**
-  M1 - 1/2" Milk White Acrylic
  -  M2 - 1/8" Thick aluminum
  -  M3 - 1/4" Thick aluminum
  -  M4 - 1/2" Thick DensGlass Sheathing




**1 SIDE ELEVATION**  
SCALE: 3/8" = 1'



**2 FRONT ELEVATION**  
SCALE: 3/8" = 1'

Watchfire 10mm pixel pitch LED Matrix Board  
Phone: 800-637-2645  
E-mail: sales@watchfiresigns.com

**SIGN TYPE F**  
CORRIDOR INFO PANEL SIGN




**1 FRONT ELEVATION**  
SCALE: 3/8" = 1'

**2 REAR ELEVATION**  
SCALE: 3/8" = 1'

# SIGN TYPE F

CORRIDOR INFO PANEL SIGN

\*NOTE EXACTY LOCATION AND ORIENTATION FOR SIGN TYPE F REQUIRES FIELD STAKING FOR REVIEW/APPROVAL PRIOR TO FINAL INSTALL.



# SIGN TYPE F

CORRIDOR INFO PANEL SIGN

FOR REFERENCE ONLY

